

CUTTING, DRILLING & GRINDING

- | Concrete Drilling & Grinding
- | Core Drilling Equipment
- | Diamond Cutting Blades
- | Magnetic Base Steel Drilling
- | Abrasives



SDS PLUS



SDS-PLUS
Hilti TE-C



MASONRY DRILL BIT

SKU:	DIAMETER:	DRILLING DEPTH:	O.A.L:
KPZ050160	5mm	100mm	160mm
KPZ050210	5mm	150mm	210mm
KPZ0550210	5.5mm	150mm	210mm
KPZ060160	6mm	100mm	160mm
KPZ060210	6mm	150mm	210mm
KPZ060260	6mm	200mm	260mm
KPZ0650210	6.5mm	150mm	210mm
KPZ080160	8mm	100mm	160mm
KPZ080210	8mm	150mm	210mm
KPZ080260	8mm	200mm	260mm
KPZ100160	10mm	100mm	160mm
KPZ100210	10mm	150mm	210mm
KPZ100260	10mm	200mm	260mm
KPZ100310	10mm	250mm	310mm
KPZ120160	12mm	100mm	160mm
KPZ120210	12mm	150mm	210mm
KPZ120260	12mm	200mm	260mm
KPZ120310	12mm	250mm	310mm
KPZ120450	12mm	400mm	450mm
KPZ140160	14mm	100mm	160mm
KPZ140210	14mm	150mm	210mm
KPZ140260	14mm	200mm	260mm
KPZ140310	14mm	250mm	310mm
KPZ160160	16mm	100mm	160mm
KPZ160210	16mm	150mm	210mm
KPZ160260	16mm	200mm	260mm
KPZ160450	16mm	400mm	450mm
KPZ180250	18mm	200mm	250mm
KPZ180450	18mm	400mm	450mm
KPZ200250	20mm	200mm	250mm
KPZ200450	20mm	400mm	450mm




DUSTLESS MASONRY DRILL BIT

SKU:	DIAMETER:	DRILLING DEPTH:	O.A.L:
KDSPZ10270	10mm	150mm	270mm
KDSPZ12320	12mm	200mm	320mm
KDSPZ14370	14mm	250mm	370mm
KDSPZ16370	16mm	250mm	370mm
KDSPZ18370	18mm	250mm	370mm
KDSPZ20370	20mm	250mm	370mm
KDSPZ24370	24mm	250mm	370mm



SDS PLUS TOOL STEELS

SKU:	LENGTH:	WIDTH:	TYPE:
KPZ20250C	250mm	20mm	Chisel
KPZ00250C	250mm	20mm	Chisel
KPZ00400P	400mm	-	Point
KPZ00600P	600mm	-	Point
KPZ40250P	250mm	-	Spiral Point
KPZ40250S	250mm	40mm	Spade Chisel
6207-KPZSC	400mm	100mm	Scraper Assy



MASONRY DRILL BIT - 10 PACK

SKU:	LENGTH:	WIDTH:
KPZ050160-10	5mm	160mm
KPZ060160-10	6mm	160mm
KPZ080160-10	8mm	160mm
KPZ100210-10	10mm	210mm
KPZ100210-10	12mm	210mm



PERSONNEL & SITE SAFETY
SITE SECURITY
TMC SIGNAGE
ENVIRONMENTAL & CIVIL SUPPLIES
FORMWORK & ACCESSORIES
FASTENERS & ADHESIVES
CONCRETE FINISHING
CONCRETE VIBRATORS
GROUT MIX & PUMPING
PLANT & EQUIPMENT
HAND TOOLS
SURFACE PROTECTION
SITE LIGHTING
MATERIALS HANDLING
SITE SIGNAGE

CUTTING & DRILLING

SDS MAX



SDS-MAX
Hilti TE-Y



MASONRY DRILL BIT

SKU:	DIAMETER:	DRILLING DEPTH:	O.A.L:
KXZ100340	10mm	200mm	340mm
KXZ12340	12mm	200mm	340mm
KXZ12540	12mm	400mm	540mm
KXZ140340	14mm	200mm	340mm
KXZ140540	14mm	400mm	540mm
KXZ1460340	14mm	200mm	340mm
KXZ160340	16mm	200mm	340mm
KXZ160540	16mm	400mm	540mm
KXZ180340	18mm	200mm	340mm
KXZ180540	18mm	400mm	540mm
KXZ200320	20mm	200mm	320mm
KXZ200520	20mm	400mm	520mm
KXZ220320	22mm	200mm	320mm
KXZ220520	22mm	400mm	520mm
KXZ240320	24mm	200mm	320mm
KXZ240520	24mm	400mm	520mm
KXZ250320	25mm	200mm	320mm
KXZ250520	25mm	400mm	520mm
KXZ280370	28mm	250mm	370mm
KXZ280570	28mm	450mm	570mm
KXZ300370	30mm	250mm	370mm
KXZ300570	30mm	450mm	570mm
KXZ320370	32mm	250mm	370mm
KXZ320570	32mm	450mm	570mm
KXZ350570	35mm	450mm	570mm
KXZ380370	38mm	250mm	370mm
KXZ380570	38mm	450mm	570mm
KXZ400570	40mm	450mm	570mm



DUSTLESS MASONRY DRILL BIT

SKU:	DIAMETER:	DRILLING DEPTH:	O.A.L:
KDSXZ12540	12mm	540mm	600mm
KDSXZ16600	16mm	400mm	600mm
KDSXZ18600	18mm	400mm	600mm
KDSXZ20600	20mm	400mm	600mm
KDSXZ20520	20mm	520mm	600mm
KDSXZ22600	22mm	400mm	600mm
KDSXZ24600	24mm	400mm	600mm
KDSXZ25600	25mm	400mm	600mm
KDSXZ28600	28mm	400mm	600mm
KDSXZ30600	30mm	400mm	600mm
KDSXZ32600	32mm	400mm	600mm



SDS MAX TOOL STEELS

SKU:	LENGTH:	WIDTH:	TYPE:
KMZ20250C	250mm	25mm	Chisel
KMZ25400C	400mm	25mm	Chisel
KMZ25600C	600mm	25mm	Chisel
KMZ00280P	280mm	-	Point
KMZ00600P	600mm	-	Point
5818	240mm	50mm	Bushing Tool
6207-KMZBT	240mm	50mm	Bushing Tool
KMZ00400P	400mm	-	Spiral Point
KMZ80300S	300mm	80mm	Spade Chisel
KMZ50400S	400mm	50mm	Spade Chisel
KMZ80400S	400mm	80mm	Spade Chisel
KMZ00300TC	300mm	50mm	Tile Chisel
6207-KMZSC	600mm	125mm	Scraper Assy



PERSONNEL & SITE SAFETY
SITE SECURITY
TTC SIGNAGE
ENVIRONMENTAL & CIVIL SUPPLIES
FORWARD & ACCESSORIES
FASTENERS & ADHESIVES
CONCRETE FINISHING
CONCRETE VIBRATORS
GROUT MIX & PUMPING
PLANT & EQUIPMENT
CUTTING & DRILLING
HAND TOOLS
SURFACE PROTECTION
SITE LIGHTING
MATERIALS HANDLING
SITE SIGNAGE

I EXTENDED GRINDER

SKU:

6190-6231000

- Watts: 1200W
- Voltage: 230V
- Speed: 8000rpm
- Spindle: 22.2mm
- Weight: 5.3kg
- Diameter: 125mm
- Electronic soft start
- Easy exchangeable flexible drive shaft
- Robust joint for optimum adaptation to inclination angle
- Brush rim - high suction power for dust-free working by connecting an industrial vacuum cleaner (accessory) to the 35mm nozzle
- Additional handle – ergonomic handling, variably adjustable at the machine



Fold up guard section for grinding edge

SWIRL JET DIAMOND WHEEL

SKU:

6190-37128000



TURBO CUP DIAMOND WHEEL

SKU:

6190-37126000




I FINE GRADE DIAMOND GRINDING CUP

SKU: DIA: BORE: SEG HEIGHT:

6110-350096 125mm M14 6mm

- Premium diamond grinding cup wheel with M14 thread
- Diamond grit #40/50 (grade 1)



I MEDIUM GRADE DIAMOND GRINDING CUP

SKU: DIA: BORE: SEG QTY: SEG HEIGHT:

6110-350075 125mm 22.2mm 6 5.5mm

6110-350077 180mm 22.2mm 10 5.5mm

- Medium stock removal wheel




I UX17 CONCRETE CUTTING BLADE

SKU: DIA: BORE: SEG QTY: SEG THICK: SEG HEIGHT:

6110-310137 230mm 22.2mm 15 2.8mm 17mm

6110-310141 350mm 25.4mm 22 3.0mm 17mm

6110-310201 400mm 25.4mm 25 3.2mm 17mm



I MX13 UNIVERSAL CONCRETE BLADE

SKU: DIA: BORE: SEG QTY: SEG THICK: SEG HEIGHT:


6110-310346 125mm 22.2mm 9 2.6mm 13mm

6110-310348 180mm 22.2mm 13 2.4mm 13mm

6110-310349 230mm 22.2mm 16 2.6mm 13mm

6110-310353 350mm 25.4mm 24 3.0mm 13mm

6110-310355 400mm 25.4mm 28 3.2mm 13mm



SHOXX TECHNOLOGY Continuous Operation, Faster Cutting, Universal Material Cutting




PERSONNEL & SITE SAFETY
SITE SECURITY
TM/C SIGNAGE
ENVIRONMENTAL & CIVIL SUPPLIES
FORMWORK & ACCESSORIES
FASTENERS & ADHESIVES
CONCRETE FINISHING
CONCRETE VIBRATORS
GROUT MIX & PUMPING
PLANT & EQUIPMENT
CUTTING & DRILLING
HAND TOOLS
SURFACE PROTECTION
SITE LIGHTING
MATERIALS HANDLING
SITE SIGNAGE

I DBK WET CORE BITS

SKU:	LENGTH:	DIA:
6110-340007	450mm	32mm
6110-340008	450mm	42mm
6110-340009	450mm	52mm
6110-340005	450mm	62mm
6110-340006	450mm	82mm
6110-340004	450mm	112mm
6110-340323	450mm	127mm
6110-340013	450mm	152mm
6110-340014	450mm	162mm
6110-340018	450mm	202mm

- Segments Height: 10 mm
- Reinforced concrete
- Sand-lime brick/lime sandstone
- Brickwork/bricks
- Granite
- Concrete
- Premium wet core drill for fast cutting
- Laser welded bis Ø 250mm
- Can be used for wet and dry/working length 450mm
- Ideal for operations with drill stand



I CORE DRILL & STAND

SKU:	WATTS:	VOLTAGE:	GEAR BOX:	SPEED:	SPINDLE:	WEIGHT:
6190-0373B000	3300	240	3 Speed	180, 450, 780rpm	1 1/4" M	36kg

- 71 mm - 450mm ø drilling capacity
- Powerful 3300W motor
- Soft start, overcurrent cut-off, overload indication
- Mechanical safety overloading clutch
- Stand drilling angles 45 - 90 deg
- Fine Adjustment stand feed 1:3
- 2-Sided feed lever change without any tools
- Wheeled stand for easy transport



I CONCRETE CORE DRILL

SKU:	WATTS:	VOLTAGE:	GEAR BOX:	SPEED:	SPINDLE:
6190-PLD182.1NT	2300	240	3 Speed	0-520, 1200, 2500rpm	G 1/2" F + 1 1/4" M

- 12mm - 202mm ø drilling capacity
- Made in Germany
- High-quality, professional machine

*Core drill and stand sold separately



DRILL STAND

SKU:
6190-9646000

- Weight: 14kg
- Quick-mounting adaptor for fast drill mounting
- Up to 45° swivel
- Hole centre indicator
- Spirit level
- 2-sided feed handle



I DUST SUPPRESSION WATER TANK

SKU:	SIZE:	HOSE LENGTH:
6190-35811000	5L	4m



PERSONNEL & SITE SAFETY
SITE SECURITY
TTCM SIGNAGE
ENVIRONMENTAL & CIVIL SUPPLIES
FORMWORK & ACCESSORIES
FASTENERS & ADHESIVES
CONCRETE FINISHING
CONCRETE VIBRATORS
GROUT MIX & PUMPING
PLANT & EQUIPMENT
CUTTING & DRILLING
HAND TOOLS
SURFACE PROTECTION
SITE LIGHTING
MATERIALS HANDLING
SITE SIGNAGE

I DRILLS

V32 - 32MM Ø LOW HEADROOM DRILL

SKU: 18710

- Single Speed: 450rpm
- Height: 227mm, 185mm handle removed
- Weight: 10kg
- Up to 32mm Ø capacity
- Drilling Capacity: 35mm deep



RB50X - 50MM Ø CAPACITY MAG DRILL

SKU: 18751

- Weight: 15kg
- 2-Speed Gearbox: 250 - 450rpm
- Up to 50mm Ø capacity
- No.2 MT chuck
- Drilling capacity: 50mm deep



RB80X - 80MM Ø CAPACITY MAG DRILL

SKU: 18781

- Weight: 19.5kg
- Magnet Size: 92mm x 220mm
- 4 Speed Gearbox: 110, 175, 245 and 385rpm
- High performance: 1800W motor
- Up to 80mm diameter & 50mm deep
- Up to 32mm twist drill capacity



I ANNULAR CUTTERS

SKU:

SIZE:

1901012025	12mm dia x 25mm	1901026025	26mm dia x 25mm
1901016025	16mm dia x 25mm	1901028025	28mm dia x 25mm
1901019025	19mm dia x 25mm	1901026050	26mm dia x 50mm
1901024025	24mm dia x 25mm		



I POWERPAC METAL DISCS

CUT OFF DISCS

SKU:	PRODUCT:	DIA X THICKNESS:	BORE:
6110-CI12510	Inox Pro	125mm x 1mm	22mm
6110-CI12525	Inox Pro	125mm x 2.5mm	22mm
6110-CI18025	Inox Pro	180mm x 2.5mm	22mm
6110-CI23025	Inox Pro	230mm x 2.5mm	22mm
6110-CC12510	Inox Pro Extreme	125mm x 1.0mm	22mm
6110-R35040	Rail Pro	350mm x 4.0mm	25mm
6110-R40040	Rail Pro	400mm x 4.0mm	25mm

GRINDING DISCS

SKU:	PRODUCT:	DIA X THICKNESS:	BORE:
6110-GI12565	Inox Pro	125mm x 6.5mm	22mm
6110-GI18068	Inox Pro	180mm x 6.8mm	22mm
6110-GI23068	Inox Pro	230mm x 6.8mm	22mm



I STRIPX SURFACE CLEANING DISCS

SKU:	DIAMETER:	BORE:	COLOUR:
BC1041	115mm	22mm	Black
BC1042	125mm	22mm	Black
BC1043	178mm	22mm	Black
BC1052	125mm	22mm	Purple
BC1053	178mm	22mm	Purple



I FLARED CUP MASONRY STONE

SKU:	DIAMETER:	BORE:	FITTING:	MAX RPM:
CT1001	110mm	55mm	M14	8680



I SMART RECIPRO SAW BLADES

SKU:	BLADE TYPE:	LENGTH:
150MB	Metal Buster / Metal Cutting	150mm
150NB	Nail Buster / Wood / Nails	150mm
150NBE	Nail Buster Extreme / Demolition	150mm
230MB	Metal Buster / Metal Cutting	230mm
230NB	Nail Buster / Wood / Nails	230mm
230NBE	Nail Buster Extreme / Demolition	230mm
300MB	Metal Buster / Metal Cutting	300mm
300NB	Nail Buster / Wood / Nails	300mm
300NBE	Nail Buster Extreme	300mm



PERSONNEL & SITE SAFETY
SITE SECURITY
TMC SIGNAGE
ENVIRONMENTAL & CIVIL SUPPLIES
FORMWORK & ACCESSORIES
FASTENERS & ADHESIVES
CONCRETE FINISHING
CONCRETE VIBRATORS
GROUT MIX & PUMPING
PLANT & EQUIPMENT
CUTTING & DRILLING
HAND TOOLS
SURFACE PROTECTION
SITE LIGHTING
MATERIALS HANDLING
SITE SIGNAGE