

GROUT MIX & PUMPING

- | Hand Held Mixers
- | Manual Grout Pump
- | Electric Grout Pump
- | Portamix Mixing Stations



I GROUT MIXER & PUMP STATION

SKU:

1970-ASEDEP200FC

- Loading Height: 1.22m
- Weight: 240kg
- Pumping Capacity: 35 l/min
- With various Pump: 6-55 l/min
- Pumping Pressure: 30 bar
- Max. Granule: 5mm
- Conveying Distance: 40m
- Power Cable: 5 x 4mm²
- Output Coupling: 1"
- Conveying Hose: Ø 25mm
- Power Supply: 380V, 50Hz
- Drive Motor: 5,5Kw
- Mixer: 3Kw



I ELECTRIC GROUT PUMP

SKU:

1970-BMP6

- Hopper Size: 30mm L
- Weight: 25kg
- Voltage: 230V
- Max. Aggregate Size: 2.5mm
- Max Pump Distance: 20m - 30m
- Pumping Max: 1-14 L/min
- Pressure: 0-360 PSI
- Can be supplied with a remote control unit
- Potentiometer to control flow/pump rate



I MANUAL GROUTING & INJECTION PUMP

SKU:

1970-ASEGP50M

- Weight: 72kg
- Pumping Distance: 10m
- Conveying Hose: 10m x 25mm Ø
- Outlet Diameter: 1"
- Hopper Capacity: 11L
- Pumping Max: 7-10 L/min
- Pressure: 0 - 145psi



I ELECTRIC GROUT PUMP

SKU:

1970-BMP7

- Motor capacity: 1.8Kw
- Weight: 20kg
- Voltage: 230 V / 50Hz
- Capacity L/min.: 2.0 - 20L/min
- Pressure Max.: 20 bar
- Max. Length of Hose: 30m
- 3mm Aggregate size

OPTIONS AVAILABLE:

- Remote control cables
- Automatic lances
- Mixer



PERSONNEL & SITE SAFETY
SITE SECURITY
TMC SIGNAGE
ENVIRONMENTAL & CIVIL SUPPLIES
FORMWORK & ACCESSORIES
FASTENERS & ADHESIVES
CONCRETE FINISHING
CONCRETE VIBRATORS
GROUT MIX & PUMPING
PLANT & EQUIPMENT
CUTTING, DRILLING & GRINDING
HAND TOOLS
SURFACE PROTECTION
SITE LIGHTING
MATERIALS HANDLING
SITE SIGNAGE

B & M HAND MORTAR PUMP**MODEL 1****SKU:**

BM13300012



1.2kg capacity
18mm slot
discharge

MODEL 3**SKU:**

BM13399915



9kg capacity
18mm 30° slot
discharge

MODEL 6**SKU:**

BM13300016-GK



45° head

MODEL 7**SKU:**

BM13300016-GK10



45° head

- Filling door or windows frames
- Cavity filling
- Working with filler
- Plasters renders
- Concrete cosmetics
- Fire protection mortar
- Mortar/grouts for frames and much more

B & M 40 BAR GROUT HOSE**SKU: SIZE:**

BMP2007 10m x 25mm Ø with M25 adapter



Male & Female

COLLOMIX GROUT MIXER - X01 R**SKU:**

1970-X01R

- Rated power: 1150 watts
- Voltage: 230V
- On-load speed 1st gear: 640rpm
- Mixed amount recommended: 40L
- Cable length: 4m
- Weight with paddle: 5.3kg
- Max. paddle diameter: 120mm
- Paddle set: Type WK 120 for plaster screed mortar filler etc.

**COLLOMIX MIXING PADDLE****SKU:**

BM322-40120

TYPE:

KR120 HF

BM322-40112

WK120 HF

SUITABLE FOR:

- Leveling compounds
- Thin-bed mortar
- Liquid coverings
- Bitumen-free sealings
- Fits all HEXAFIX® mixers



BM322-40112



BM322-40120

HAND HELD GROUT MIXER**SKU:**

EM182R

- Max Diameter: 180mm
- Watt: 1800
- Weight: 7.1kg
- Speed Settings: 250 - 480rpm / 430 - 850rpm
- Supplied with mixing paddle
- Mixing paddle: TM140

**GROUTING SPRAY CRETE LANCE & NOZZLE KIT****SKU:**

1970-BMP2319

- Spray lance 210mm L
- 5 nozzles: 4,5mm / 6,5mm / 8,5mm / 10,5mm diameter
- 19mm Sponge ball diameter 19mm



PORTAMIX PELICAN TRANSPORT CART

SKU:	BOWL CAPACITY:	WEIGHT:
PMP80	85L – 160kg	36kg

- Size: 605mm W x 795mm D x 960mm H
- Does not include hand mixer



PORTAMIX MEGA HIPPO WITH MOTOR

SKU:	BOWL CAPACITY:	WEIGHT:
2710-PMH80	85L – 160kg	51kg

- Motor: 1800W
- Easy operation by one person
- Dust extraction port allows vacuum connection to reduce dust hazard while mixing

Handles a wide range of construction compounds



PORTAMIX HIPPO GROUT MIXING STATION

SKU:	BOWL CAPACITY:	WEIGHT:
2710-PMHX80HD	85L – 160kg	49kg

- Mixing paddle: TW200D large dual helix
- Motor: 2300W speed RCD protected
- Tilting Cradle: Balanced for easy operation
- Dust control shroud
- Replacement liner: PH704
- Paddle replacement: TW225D/16



PERSONNEL & SITE SAFETY
SITE SECURITY
TMC SIGNAGE
ENVIRONMENTAL & CIVIL SUPPLIES
FORMWORK & ACCESSORIES
FASTENERS & ADHESIVES
CONCRETE FINISHING
CONCRETE VIBRATORS
GROUT MIX & PUMPING
PLANT & EQUIPMENT
CUTTING, DRILLING & GRINDING
HAND TOOLS
SURFACE PROTECTION
SITE LIGHTING
MATERIALS HANDLING
SITE SIGNAGE