

PLANT & EQUIPMENT

- | Concrete Surface Preparation
- | Hydraulic & Pneumatic Construction Equipment
- | Tool Steels & Accessories
- | Rebar Cutters & Benders
- | Sub Pumps & Accessories



MHS5 FLOOR SCABBLER

SKU:

159.5075

- Weight: 114kg
- Width: 290mm
- Air Consumption: 80cfm
- Keying poured concrete surfaces in preparation for subsequent pouring
- Rust removal from steel
- Preparation of cracks on floors prior to repairs
- Laitance removal of weaker surface layer where extreme bearing strength is applied
- Aggregate exposure on decorative panels



SCABBLERS

TRELAWNY SC3 TRIPLE HEAD SCABBLER

SKU:

153.6151

HANDLE TYPE:

Overhand

- Weight: 4.8kg
- Length: 460mm
- Working Height: 220mm
- Blows Per Minute: 2800 x 3bpm
- Air Pressure: 6.2bar (90psi)
- Air Inlet: 3/8npt



TRIPLE HEAD SCABBLER

SKU:

153.5200

HANDLE TYPE:

Standard

153.6150

Overhand

- Weight: 5.2kg
- Length: 485mm
- Working Height: 160mm
- Blows per Minute: 2400 x 3bpm
- Air Consumption: 30cfm
- Noise Level: 98dB
- Vibration Level: 8.7 m/s²



SINGLE HEAD SCABBLER

SKU:

151.5200

- Weight: 2.6kg
- Length: 485mm
- Working Height: 160mm
- Blows per Minute: 2400bpm
- Air Consumption: 15cfm
- Noise Level: 94dB (A)
- Vibration Level: 7.0 m/s²



POLE SCABBLER LPS55

SKU:

150.5001

- Weight: 13.4kg
- Length: 1392mm
- Blows Per Minute: 1100bpm
- Air Consumption: 30cfm
- Vibration Level (Aeq): 35.0 m/s²



PERSONNEL & SITE SAFETY
SITE SECURITY
TMC SIGNAGE
ENVIRONMENTAL & CIVIL SUPPLIES
FORMWORK & ACCESSORIES
FASTENERS & ADHESIVES
CONCRETE FINISHING
CONCRETE VIBRATORS
GROUT MIX & PUMPING
PLANT & EQUIPMENT
CUTTING, DRILLING & GRINDING
HAND TOOLS
SURFACE PROTECTION
SITE LIGHTING
MATERIALS HANDLING
SITE SIGNAGE

I NEEDLE SCALER 3BPG

PISTOL GRIP

SKU:

133.3100

- Needle Qty: 28mm x 3mm
- Weight: 3.7kg
- Blows Per Minute: 2200bpm
- Air Consumption: 8cfm
- Noise Level: 114.5dB
- Vibration Level Aeq: 18.9 m/s²

EXTRA - 3mm NEEDLE

SKU:

4533110

TYPE:

Pointed

WIDTH:

3mm

4431107

Flat**3mm**

I HYDRAULIC POWERPACK

PRODUCT: PAC P18

SKU:

1807016034

WEIGHT:

118kg

LENGTH:

755mm

WIDTH:

700mm

HEIGHT:

720mm

OIL FLOW:

20-40L/min

MAX PRESSURE:

145 bar

FUEL CAPACITY:

8.5L

EHTMA CLASS:

C/D/E

SOUND LEVEL:

88 dB

I HYDRAULIC CUT-OFF SAW

PRODUCT:

SAW 14**SAW 16**

SKU:

1809014003

1940- 1809016784

WEIGHT:

13.3kg**14.9kg**

DISC SIZE:

355mm**405mm**

ARBOR SIZE:

25.4**25.4**

CUTTING DEPTH:

133mm**160mm**

OIL FLOW:

20-30L/min**20-40L/min**

REVOLUTIONS:


2,500 - 4,000rpm**2,500 - 4,000rpm**

I TEXAS PNEUMATIC AIR MANIFOLD- 4 OUTLET

SKU:

TX-3AMF

- Weight: 9.5kg - 10.4kg
- Height: 304mm
- Length: 508mm
- Tank Diameter: 203mm
- Inlet Size: 25.4mm
- Number of Outlets: 4
- Size of Outlets: 12.7mm
- Working Pressure: 200psi
- Test Pressure: 260psi



I BREAKERS

AIR BREAKER

PRODUCT:	CP1210SVR	CP1210SVR	CP1260SVR	CP1290SVR
SKU:	8900 0030 05	8900 0030 06	8900 0030 32	CP1290SVR
WEIGHT:	24kg	25kg	34kg	43.5kg
LENGTH:	600mm	650mm	735mm	785mm
AIR CONSUMPTION:	34.5cfm	56cfm	73cfm	90cfm
BLOWS PER MINUTE:	1,300bpm	1,400bpm	1,300bpm	1,100bpm
SHANK:	1" x 4 1/4"	1" x 1 1/4"	1 1/4" x 6 1/4"	1 1/4" x 6 1/4"



AIR BREAKER ACCESSORIES

SKU:	TYPE:	WIDTH:	LENGTH:	SKU:	TYPE:	WIDTH:	LENGTH:
SUITS 1210/BRK 40 - 1" x 4 1/4" SHANK				SUITS 1260/1290/BRK70/90 - 1 1/4" x 6 1/4" SHANK			
21100	Chisel	-	450mm	42100	Chisel	-	441mm
22300	Flat Chisel	75mm	450mm	48400	Asphalt Cutter	-	125mm
28400	Asphalt Cutter	125mm	450mm	42200	Moil Point	-	441mm
21200	Moil Point	-	450mm	41800	Tamping Pad Shank	-	200mm
41800	Tamping Pad Shank	-	250mm	31860	Tamping Pad	6"	-
31860	Tamping Pad	150mm	-	31900	Tamping Pad	180mm Ø	-

APT HYDRAULIC BREAKER

SKU:	1940-1801354778
WEIGHT:	25kg
SHANK:	1" x 4 1/4"



PETROL BREAKER

SKU:	8318 0900 29
WEIGHT:	22kg
LENGTH:	750mm
BLOWS PER MINUTE:	1,440bpm
MOTOR:	2kw 90cc
FUEL TANK:	1L
SHANK:	25mm x 108mm



I CHICAGO PNEUMATIC ROCK DRILL, SILENCED

PRODUCT:	CP0009CS
SKU:	8900 0020 07
WEIGHT:	4.5kg
LENGTH:	380mm
AIR CONSUMPTION:	20cfm
BLOWS PER MINUTE:	3,420bpm
VIBRATION LVL BREAKING/DRILLING:	20.2 / 21.2 m/s ²
RETAINER TYPE:	Quick Change
DRILL RATE:	160mm - 180mm
MAX DRILL DIAMETER:	32mm



CP9 ROCK DRILL ACCESSORIES

SKU:	TYPE:	WIDTH:	LENGTH:
62005	Rock Drill Steel	1/2"	195mm
62010	Rock Drill Steel	5/8"	195mm
62020	Rock Drill Steel	5/8"	294mm
62030	Rock Drill Steel	5/8"	441mm
62040	Rock Drill Steel	3/4"	200mm
62050	Rock Drill Steel	3/4"	294mm
62070	Rock Drill Steel	3/4"	200mm
62090	Rock Drill Steel	7/8"	441mm
RO 85917	Moil Point	-	150mm
4045	Bushing Tool	-	267mm
R137586	SDS Adaptor	-	57mm
3083 4161 00	Flat Chisel	25mm	150mm
3083 4165 00	Scaling Chisel	75mm	150mm



PERSONNEL & SITE SAFETY
SITE SECURITY
TM/C SIGNAGE
ENVIRONMENTAL & CIVIL SUPPLIES
FORMWORK & ACCESSORIES
FASTENERS & ADHESIVES
CONCRETE FINISHING
CONCRETE VIBRATORS
GROUT MIX & PUMPING
PLANT & EQUIPMENT
CUTTING, DRILLING & GRINDING
HAND TOOLS
SURFACE PROTECTION
SITE LIGHTING
MATERIALS HANDLING
SITE SIGNAGE

AIR TOOL OIL

SKU:	SIZE:
AEPO01	1L
AEPO05	5L



MACHINE GREASE

SKU:	SIZE:
HYD-LPTEP2	450g



GREASE GUN

SKU:	SIZE:
305221	450g



LONG REACH SCRAPER LR4

SKU:	LENGTH:
136.3400	2', 4' & 6'

- Weight: 4.6kg
- Length: 1.2m
- Blows per Minute: 2200 bpm
- Air Consumption: 2.1 - 4.5 (lps-cfm)
- Noise Level: 84 dB
- Vibration Level: 15.3 m/s²

ACCESSORIES AVAILABLE:

- 25mm, 50mm, 100mm Wide Chisel
- Scraper Blade Holder
- 100mm, 200mm, 300mm Bevelled Edge Scraper Blade
- 200mm Flat Edge Scraper Blade

SUITS LONG REACH SCRAPER LR4 - 5/8" HEX SHANK

SKU:	TYPE:	WIDTH:
7051101	Chisel	25mm
705.1106	Chisel	50mm
705.1102	Chisel	100mm
641.3512	Scraper Tool Holder Assy	-
4193541	Chuck Tool Assy- Fits LR4 & 3BPG	-
4393524	Bevelled Scraper - 5pk	100mm
4393522	Bevelled Scraper - 5pk	200mm
4393528	Bevelled Scraper - 5pk	300mm



POLE RAMMER

PRODUCT:	APT 131
SKU:	13-5214
WEIGHT:	37kg
LENGTH:	51 7/8"
BORE:	1 1/2"
STROKE:	5 1/2"
BPM:	670
CFM AT 90psi:	38-42
AIR INLET:	1/2" Female

- Built-in large automatic oiler
- Flapper valve design allows dirt to pass without stopping the tool
- Internally reinforced large malleable 6" iron butt (standard)
- Pole butt (half-moon) and 3 diameter butt available



FLUX CHIPPER

SKU:	FCH-25-1F
WEIGHT:	1.5kg
LENGTH:	204mm
PISTON DIAMETER:	25mm
STROKE:	20mm
ACTUAL AIR CONSUMPTION:	15cfm

- Attachments such as chisels and needles can be quickly and easily changed
- The locking handle is designed to reduce the risk of accidental starting of the tool
- Low air consumption: 0.14 - 0.18m³/min
- Built-in sleeve valve



PERSONNEL & SITE SAFETY
SITE SECURITY
TTCM SIGNAGE
ENVIRONMENTAL & CIVIL SUPPLIES
FORMWORK & ACCESSORIES
FASTENERS & ADHESIVES
CONCRETE FINISHING
CONCRETE VIBRATORS
GROUT MIX & PUMPING
CUTTING, DRILLING & GRINDING
HAND TOOLS
SURFACE PROTECTION
SITE LIGHTING
MATERIALS HANDLING
SITE SIGNAGE

PLANT & EQUIPMENT

CHIPPING HAMMER w. BOLT CHISEL RETAINER

APT650 SERIES

PRODUCT:	652	654
SKU:	13-5299-06	13-5303-06
WEIGHT:	6kg	8kg
STROKE:	2"	4"
BLOWS PER MINUTE:	2100	1375
CFM AT 90psi:	32-34	34-36
AIR INLET:	7/8"-24	7/8"-24
SHANK:	.580 Hex	.580 Hex



FC-01-3 SERIES

PRODUCT:	FC-01-3
SKU:	5412052471
WEIGHT:	2.6kg
STROKE:	1.75"
BLOWS PER MINUTE:	3000
MIN HOSE SIZE:	9.5mm
AIR CONSUMPTION:	14.8cfm
SHANK:	0.472



SUITS APT650 SERIES - 14.8 x 60 (0.58) SHANK

SKU:	TYPE:	WIDTH:	LENGTH:
408	Flat Chisel	25mm	295mm
408-24	Flat Chisel	25mm	588mm
424-18	Flat Chisel	50mm	440mm
424-12-3	Flat Chisel	75mm	295mm
424-4-1/2	Flat Chisel	100mm	245mm
426-12	Scaling Chisel	30mm	300mm
424-24	Scaling Chisel	50mm	610mm
410	Moil Point	-	220mm
412	Moil Point	-	295mm
412-24	Moil Point	-	588mm

SUITS FC-01-3 SERIES - 12 x 45mm (0.472) SHANK

SKU:	TYPE:	WIDTH:	LENGTH:
5412058742	Moil Point	12mm	200mm
5412058745	Flat Chisel	16mm	250mm
5412058751	Flat Chisel	16mm	200mm
WJB-10SL	Flat Chisel	25mm	200mm

RIVET BUSTER

PRODUCT:	APT 1133CN
SKU:	13-18846
WEIGHT:	15kg
LENGTH:	25 1/2"
BORE:	1 3/16"
STROKE:	11"
BLOWS PER MINUTE:	850
CFM AT 90psi:	52
AIR INLET:	1/2" Female NPT
SHANK:	Jumbo Shank



SUITS RIVET BUSTER APT1133 - JUMBO SHANK

SKU:	TYPE:	WIDTH:	LENGTH:
272	Chisel	25mm	226mm
276-12	Chisel	25mm	245mm
278	Punch	3/8"	226mm
279	Punch	1/2"	226mm
281	Punch	3/4"	226mm
282	Punch	7/8"	226mm
280	Punch	5/8"	245mm
291	Punch	7/8"	245mm



CLAY DIGGER

PRODUCT:	CP0222CHITBS
SKU:	8900000122
WEIGHT:	10.5kg
LENGTH:	495mm
AIR CONSUMPTION:	40cfm
BLOWS PER MINUTE:	1,500bpm
RETAINER TYPE:	Latch
AIR INLET:	3/4" BSP
D-HANDLE TYPE:	Inside Trigger
SOUND LEVEL:	90dB
SHANK:	7/8" x 3 1/4"



SUITS APT CLAY DIGGERS - 7/8" x 3 1/4" SHANK

SKU:	TYPE:	WIDTH:	LENGTH:
13100	Chisel	-	610mm
11100	Chisel	19mm	343mm
19500	Clay Spade	25mm	226mm
12300	Clay Spade	75mm	-
12200	Moil Point	-	441mm



PERSONNEL & SITE SAFETY
SITE SECURITY
TMC SIGNAGE
ENVIRONMENTAL & CIVIL SUPPLIES
FORMWORK & ACCESSORIES
FASTENERS & ADHESIVES
CONCRETE FINISHING
CONCRETE VIBRATORS
GROUT MIX & PUMPING
PLANT & EQUIPMENT
CUTTING, DRILLING & GRINDING
HAND TOOLS
SURFACE PROTECTION
SITE LIGHTING
MATERIALS HANDLING
SITE SIGNAGE

I KNIPEX TIE WIRE NIPS

SKU:	LENGTH:
KP68-180	180mm
KP68-200	200mm
KP68-280	280mm
6190-KP9914300	300mm



I BOLT CUTTERS

SKU:	LENGTH:
HHBC350	350mm
HHBC450	450mm
HHBC600	600mm
HHBC750	750mm
HHBC900	900mm
HHBC1050	1.05m



I REBAR CUTTER BENDER

SKU:	CAPACITY:
HRC16B	16mm rod


- 34mm radius bend capacity
- Can be bolted to the floor for easy operation



I HEAVY DUTY PANEL BAR

SKU:	LENGTH:
409-64306	1.4m

6.36kg



I REBAR CUTTERS - PORTABLE UNITS

REBAR CUTTER 4 - 16MM

SKU:	CUTTING CAPACITY:	CUT OFF SPEED:	WEIGHT:
ERC16-CBK	4mm - 16mm rebar	2.5 - 3 seconds	8kg

REBAR CUTTER 4 - 20MM

ERC-20	4mm - 20mm rebar	3 - 3.5 seconds	13kg
--------	------------------	-----------------	------

REBAR CUTTER 4 - 25MM

ERC-25	4mm - 25mm rebar	5 seconds	24.5kg
--------	------------------	-----------	--------

REBAR CUTTER 6 - 32MM

ERC-32	6mm - 32mm rebar	5 seconds	35kg
--------	------------------	-----------	------



ERC-16



ERC-20



ERC-25



ERC-32

I REBAR BENDER - STATIONARY UNITS

4MM - 25MM

SKU:	CUTTING CAPACITY:	BENDING CAPACITY:	WEIGHT:
CRBC-25	4mm - 25mm rebar	0 - 180°	136kg

6MM - 32MM

CRBC-32A	6mm - 32mm rebar	0 - 180°	225kg
----------	------------------	----------	-------

- 15Amp plug
- 240v power - will cut and bend grade 500 steel
- Supplied with safety guarding and foot pedal

CRBC-25



CRBC-32A



I CONTRACTOR STANDPIPE

SKU:

1930-CSP

- Outlet: 70mm
- Galvanised barrel
- Threaded base
- Weight: 6.5kg
- Standards: SNZ PAS 4505 70mm Instantaneous (BS336 2½" Instantaneous)



I CONTRACTOR KEY & BAR

SKU:

0549-IND

- Constructed entirely of steel
- Powder-coated finish for enhanced durability
- Bar stored within the key handle



I SUBMERSIBLE PUMP

FLOAT SWITCH

SKU:

1920-FLSR-750A

NON-FLOAT SWITCH

1920-FLSR-750

- Motor: 50Hz 230V
- Weight: 12kg
- Pump Size: 2"/50mm
- Discharge Head: 10m
- Discharge Capacity: 200L/per min
- Max Solid Size: 7mm
- Cable Length: 10m



I PUDDLE SUCKER PUMP

SKU:

1920-FLSR400

- Motor: 50Hz 230v
- Weight: 12kg
- Pump size: 2"/50mm
- Discharge head: 7m
- Discharge capacity: 140L/per min
- Max solid size: 2mm
- Cable length: 10m



PERSONNEL & SITE SAFETY
SITE SECURITY
TMC SIGNAGE
ENVIRONMENTAL & CIVIL SUPPLIES
FORMWORK & ACCESSORIES
FASTENERS & ADHESIVES
CONCRETE FINISHING
CONCRETE VIBRATORS
GROUT MIX & PUMPING
PLANT & EQUIPMENT
CUTTING, DRILLING & GRINDING
HAND TOOLS
SURFACE PROTECTION
SITE LIGHTING
MATERIALS HANDLING
SITE SIGNAGE

I CAMLOCK FITTINGS

SKU:	TYPE:	SIZE:	
1930-A50	A	50mm	
1930-A75	A	75mm	
1930-A100	A	100mm	
1930-B50	B	50mm	
1930-B75	B	75mm	
1930-B100	B	100mm	
1930-C50	C	50mm	
1930-C75	C	75mm	
1930-C100	C	100mm	
1930-D50	D	50mm	
1930-D75	D	75mm	
1930-D100	D	100mm	
1930-E50	E	50mm	
1930-E75	E	75mm	
1930-E100	E	100mm	
1930-F50	F	50mm	
1930-F75	F	75mm	
1930-F100	F	100mm	

I CLAW COUPLINGS

SKU:	TYPE:	SIZE:	THREAD:
56 A013M	A	13mm	Male
56 A019M	A	19mm	Male
56 A013F	A	13mm	Female
56 A019F	A	19mm	Female
56 A019H	A	19mm	Female
56 B013M	B	13mm	Male
56 B019M	B	19mm	Male
56 B025F		25mm	Hose tail
56 B013H		13mm	Hose tail
56 B019H		19mm	Hose tail
56 B025H		25mm	Hose tail



I T-BOLT CLAMP

SKU:	SIZE:	SUITS HOSE:
CC-MARW1055-LF	52mm - 55mm	50mm Lay Flat
CC-MARW1059-SF	55mm - 59mm	55mm Suction
CC-MARW1079-LF	74mm - 79mm	75mm Lay Flat
CC-MARW1085-SF	80mm - 85mm	75mm Suction



I LAYFLAT DISCHARGE HOSE KIT

SKU:	COUPLING SIZE:	LENGTH:
LAYFLATKIT38.20M	38mm	20m
LAYFLATKIT50.20M	50mm	20m
LAYFLATKIT75.20M	75mm	20m
LAYFLATKIT100.25M	100mm	25m



I SUCTION HOSE & KIT

SUCTION HOSE		SUCTION HOSE KIT	
SKU:	HOSE:	SKU:	HOSE:
1930-SH50	50mm Ø	SUCTIONHOSEKIT50.6M	50mm Ø
1930-SH75	75mm Ø	SUCTIONHOSEKIT75.6M	75mm Ø
1930-SH100	100mm Ø	SUCTIONHOSEKIT100.6M	100mm Ø



I CONSTRUCTION AIR HOSE - RUBBER HEAVY DUTY

SKU:	HOSE:	LENGTH:	COUPLING:
1830-13MM20MT	13mm Ø	20m	Type A Claw
1830-19MM20MT	19mm Ø	20m	Type A Claw
1830-25MM30MT	25mm Ø	30m	Type A Claw
1830-50MM30MT	50mm Ø	30m	Type A Claw



I WHIP CHECKS

SKU:	HOSE SIZE:
TX-SLC1	10mm - 32mm
56-WHIPSMALL	10mm - 32mm
56-WHIPMED	38mm - 76mm



I OILER UNIT - CONTINUOUS FEED

SKU:	SIZE:	AIR INLET:
TX-2L	Medium	19mm
TX-3L	Large	25mm



I OILER & HOSE

SKU:	HOSE:	COUPLING:
TX-10HW	13mm	Type B
TX-12HW-WCF	19mm	Type B



PERSONNEL & SITE SAFETY
 SITE SECURITY
 TTM SIGNS
 ENVIRONMENTAL & CIVIL SUPPLIES
 FORMWORK & ACCESSORIES
 FASTENERS & ADHESIVES
 CONCRETE FINISHING
 CONCRETE VIBRATORS
 GROUT MIX & PUMPING
 PLANT & EQUIPMENT
 CUTTING, DRILLING & GRINDING
 HAND TOOLS
 SURFACE PROTECTION
 SITE LIGHTING
 MATERIALS HANDLING
 SITE SIGNAGE

SOLUTIONS DELIVERED FAST

Our commitment to you is
"Solutions Delivered Fast".

We're all about putting you first and making sure you have the solutions you need on time to ensure that you keep your project moving.

SITETAXI is our in-house direct to Site Delivery Service.

The Site Taxi Team motto is
"You order it & We'll deliver it".

With over 100,000 stock items across our distribution centres in Auckland, Wellington & Christchurch our Site Taxi Team can keep our promise to you
"Solutions Delivered Fast".



AUCKLAND

SITETAXI DELIVERY ASSETS	SITETAXI SERVICE OPTION	3RD PARTY FREIGHT OPTION	CUSTOMER COLLECTIONS
VAN	Urgent Delivery Service - 2 hr on demand	NZC- next day delivery to main centers	Depot open from 7.30am - 4.30pm
TRUCK 1: 4m deck	Order by 9 am for delivery by 4pm	Mainfreight - 2 - 3 day delivery	
TRUCK 2: 7m deck	Order by 2pm for delivery by 10am		

WELLINGTON

SITETAXI DELIVERY ASSETS	SITETAXI SERVICE OPTION	3RD PARTY FREIGHT OPTION	CUSTOMER COLLECTIONS
VAN	Urgent Delivery Service - 2 hr on demand	NZC- next day delivery to main centers	Depot open from 7.30am - 4.30pm
TRUCK	Order by 9 am for delivery by 4pm	Mainfreight - 2 - 3 day delivery	
HIAB - Crane Truck	Order by 2pm for delivery by 10am		

CHRISTCHURCH

SITETAXI DELIVERY ASSETS	SITETAXI SERVICE OPTION	3RD PARTY FREIGHT OPTION	CUSTOMER COLLECTIONS
UTE	Site Taxi Service available on demand	NZC- next day delivery to main centers	Depot open from 7.30am - 4.30pm
HIAB - Crane Truck	Next Day Delivery	Mainfreight - 2 - 3 day delivery	