


SITE SAFETY & SECURITY

- | Site Security Perimeter Fencing
- | Site Pedestrian Control and Site Access Gates
- | Barriers
- | Safety Tapes, Shade Cloth and Dust Control
- | Traffic Management Solutions
- | Edge Protection
- | Printed Fence Wrap



TEMPORARY FENCE PANELS

5 REASONS WHY




- 1. HOT DIPPED GALVANISED FRAME**
Ensuring a long-lasting, corrosion-resistant fence
- 2. 3 POINT WELDED GUSSETS**
Enhances the structural integrity of the fence
- 3. HEAVY WALL GALVANISED TUBE**
The most robust and durable fencing framework
- 4. ANTI-CLIMB MESH**
Your extra layer of site security
- 5. MULTIPLE FEET OPTIONS**
Adaptable and easy to install in various locations

BOLT DOWN FENCE FOOT



FENCE SUPPORT BRACE



Fence feet and brace suit 32mm tube fencing.

A Versatile and Cost Effective Fencing Solution

SCAN TO
SEE ONLINE



I FENCE FOOT

SKU:

TF-FOOT32

Plastic concrete filled 25kg each Stackable



I STEEL FENCE FOOT

SKU:

TF-STFOOT32

Bolt down



I FENCE SUPPORT BRACE

SKU:

TF-BRACE32

Require 2x couplers and 1 x foot to clip to fence panel Galvanised



I FENCE CLAMP

SKU:

TF-CLAMP32

Galvanised 100mm span



I HINGE COUPLER

SKU:

TF-32HINGE

Galvanised



I FENCE STORAGE STILLAGE

SKU:

6101-STLG

Designed for 2.4m x 2m fence panel




I TEMPORARY FENCE PANEL

SKU:

TF-242132

- Size: 2.4m W x 2.1 m H
- Finish: Galvanised steel
- Total Weight: 17kg
- Lightweight 32mm OD tube frame
- Corner braces for superior strength & longevity
- Anti-climb mesh



I GATES

FENCE PANEL WITH GATE

SKU:

6101-PAG

- INSITU Gate Size: 1.2m x 2.1 m
- Built-in style
- No need for wheels, good for rough terrain



PEDESTRIAN GATE

SKU:

6101-PG

- Gate Width: 1.2m
- Supplied with a wheel




VEHICLE ACCESS GATE

SKU:

6101-VAG

- Vehicle Access Width: 4.8m
- Supplied with wheels
- Keep site secure with chain or padlock



I GATE WHEEL POST

SKU:

TF-GAW


Galvanised



| SITE ACCESS POINT

SKU:

- 6101-SAP1
- Size: 2.5m H x 2.3m L
- Egress Width: 1.2m
- Finish: Galvanised
- Tube: 32mm Ø



| CROWD CONTROL BARRIER

SKU:


- 6101-CCBO2212
- Size: 1.2m H x 2.2m L
- Diamond Mesh: 25mm
- Supplied with 2 x steel feet
- Replacement feet: 6101-CCBFOOT



| SITE ACCESS POINT WITH GATE

SKU:

- 6101-SAP2
- Size: 1.2m H x 3.2m L
- Finish: Galvanised
- Tube: 25mm Ø
- Interlocks with construction barriers



| PEDESTRIAN TRAFFIC BARRIER

SKU:

- 6174-SPB
- Size: 1.2m H x 2.28m L
- Interconnect
- Reflective stripes
- Heavy-duty non-marking swivel feet



PERSONNEL & SITE SAFETY
 SITE SECURITY
 TMC SIGNAGE
 ENVIRONMENTAL & CIVIL SUPPLIES
 FORMWORK & ACCESSORIES
 FASTENERS & ADHESIVES
 CONCRETE FINISHING
 CONCRETE VIBRATORS
 GROUT MIX & PUMPING
 PLANT & EQUIPMENT
 CUTTING, DRILLING & GRINDING
 HAND TOOLS
 SURFACE PROTECTION
 SITE LIGHTING
 MATERIALS HANDLING
 SITE SIGNAGE

I PEDESTRIAN CONTROL BARRIER - GALV

SKU:


- 6101-PCBG2212 • Size: 1.1m H x 2.2m L
- Finish: Galvanised
- Removable flat feet: 500mm L x 60mm W
- Replacement feet: 6101-CCBFOOT



I PEDESTRIAN CONTROL BARRIER - ORANGE

SKU:


- 6101-PCBO2212 • Size: 1.1m H x 2.2m L
- Finish: Hi-vis orange painted
- Removable flat feet: 500mm L x 60mm W
- Replacement feet: 6101-CCBFOOT



I PEDESTRIAN TRAFFIC BARRIER - GALV

SKU:


- 6101-TCBG2212 • Size: 1.1m H x 2.2m L
- Finish: Galvanised
- Removable flat feet: 500mm L x 60mm W
- Replacement feet: 6101-TCBFOOT



I PEDESTRIAN TRAFFIC BARRIERS - ORANGE

SKU:

- 6101-TCBGO2212 • Size: 1.1m H x 2.2m L
- Finish: Hi-vis orange painted
- Removable flat feet: 500mm L x 60mm W
- Replacement feet: 6101-TCBFOOT



I CROWD & TRAFFIC BARRIER FEET - GALV

SKU:

HEIGHT:

SUITS FENCE:

- 6101-TCBFOOT **100mm** 6101-TCBG2212
- 6101-CCBFOOT **300mm** 6101-PCBG2212 & 6101-CCBO2212



I RETAINER CLIP

SKU:

- 6101-CCBCLIP



I RICOCHET TEMPORARY CRASH BARRIER - TL-2

SKU:

- 6101-RBTL2B
- Size: 1m H x 2m L x 580mm W
- Weight Capacity: Empty - 62kg, Full - 662kg
- Roto-moulded polyethylene
- Water-fillable



I WATER FILLED BARRIER

SKU:

- 6101-CB15
- Size: 1m H x 2m L
- Weight Capacity: 220kg
- Heavy-duty plastic
- Water-fillable



I RICOCHET BARRIER END TREATMENT - TL-2

SKU:


- 6101-RBTL2ET
- Size: 1m H x 2m L x 580mm W
- Weight Capacity: Empty - 62kg, Full - 662kg
- Roto-moulded polyethylene
- Water-fillable



TRAFFIC & INFORMATION SIGNAGE




Page 26-32

Clearly communicate your site with our Traffic and Information Signs, featuring easy-to-read symbols and available in various shapes



PERSONNEL & SITE SAFETY
SITE SECURITY
TMC SIGNAGE
ENVIRONMENTAL & CIVIL SUPPLIES
FORMWORK & ACCESSORIES
FASTENERS & ADHESIVES
CONCRETE FINISHING
CONCRETE VIBRATORS
GROUT MIX & PUMPING
PLANT & EQUIPMENT
CUTTING, DRILLING & GRINDING
HAND TOOLS
SURFACE PROTECTION
SITE LIGHTING
MATERIALS HANDLING
SITE SIGNAGE

| SAFETY & WARNING TAPES

SKU:	DIMENSIONS:	QTY:	
GAS MAINS BELOW			
BW-G	75mm x 250m	30	
CAUTION			
BWE-C	75mm x 250m	30	
DANGER ELECTRICAL CABLE BELOW			
BW-E	75mm x 250m	30	
DANGER KEEP OUT			
BWE-DKO100	75mm x 100m	30	
BWE-DKO	75mm x 250m	30	
DANGER WATER MAINS BELOW			
BW-WM	75mm x 250m	30	
SEWER LINE BELOW			
BW-SM	75mm x 250m	30	
WARNING FIBRE OPTIC CABLE BLADE			
BW-FO	75mm x 250m	30	
ROAD CLOSED			
BW-RC	75mm x 250m	30	
YELLOW/BLACK PARALLAX			
BW-YBP	75mm x 250m	30	

| TEMPORARY PADDLE SIGNS

SKU:	SIGN SIZE:	LENGTH:
TW33	450mm	1.6m




SKU:	SIGN SIZE:	LENGTH:
TW33-MINI	345mm	300mm



| SELF ADHESIVE BUTYL PAD

SKU:	SIZE:
6240-49SAP1	120mm x 86mm



| VEHICLE KERB RAMP

SKU:	SECTION:	DIMENSIONS:
6174-KR100	Centre	600mm x 320mm x 100mm
6174-KR100EC	End Cap	300mm x 300mm x 100mm
6174-KR150	Centre	600mm x 320mm x 150mm
6174-KR150EC	End Cap	300mm x 300mm x 150mm



| PEDESTRIAN KERB RAMP

SKU:	WIDTH:
49-PKRSG	760mm x 1282mm

- Reinforced underside with steel bars
- Anti-slip surface for enhanced traction



| CONSTRUCTION CONES

SKU:	HEIGHT:	WEIGHT:	COLOUR:
6174-CC900	900mm	4.5kg	Orange
6174-CC900BL	900mm	4.5kg	Blue




| CONE BARRIER BAR

SKU:	LENGTH:	COLOUR:	QTY:
6174-TCBYB	1320mm - 2160mm	Black/Yellow	50
6174-TCBB	1320mm - 2160mm	White/Blue	50
6174-TCBRW	1320mm - 2160mm	Red/White	50



| TRAFFIC FLEXI BOLLARD

SKU:	HEIGHT:
6174-FB750RB	750mm
6174-FB1000RB	1000mm



| T TOP BOLLARD


SKU:	HEIGHT:
6174-TTBL	900mm



| PLASTIC CHAIN

SKU:	COLOUR:
6174-PCRW	Red/White

6mm x 25m chain



| CONE CHAIN MOUNT

SKU:	COLOUR:
6174-CCM	Red



SHADE CLOTH / SCAFFOLD SCRIM NETTING

SKU:	COLOURS:	GSM:
6210-SS250BLACK	Black	100
6210-SCN250BLACK	Black	160
6210-SS200BLACK	Black	200
6210-SS250RED	Red	100
6210-SS250ORANGE	Orange	100
6210-SS250YELLOW	Yellow	100
6210-SS250GREEN	Green	100
6210-SS250TEAL	Teal	100
6210-SS250DBLUE	Dark Blue	100
6210-SS250LBLUE	Blue	100
6210-SS250WHITE	White	100



Black - 100gsm



Black - 200gsm

**2m x 50m
HEAVY-DUTY
WOVEN SCRIM
IN A RANGE OF
COLOURS**

Woven eyelets
for easy
application

Combine
different colours
for a unique look



Red



Teal



Orange



Dark Blue



Yellow



Light Blue



Green



White

PERSONNEL & SITE SAFETY | SITE SECURITY | TMC SIGNAGE | ENVIRONMENTAL & CIVIL SUPPLIES | FORMWORK & ACCESSORIES | FASTENERS & ADHESIVES | CONCRETE FINISHING | CONCRETE VIBRATORS | GROUT MIX & PUMPING | PLANT & EQUIPMENT | CUTTING, DRILLING & GRINDING | HAND TOOLS | SURFACE PROTECTION | SITE LIGHTING | MATERIALS HANDLING | SITE SIGNAGE

SITE BRANDING

The use of printed mesh offers a cost-effective way to promote your brand and increase exposure.

- Perfect for on-site fencing or scaffolding installation
- Available in flame-retardant material
- Made from durable 260gsm ripstop fabric
- Optional wind slots available on request
- In-house design and production

I PVC MESH BANNER PANELS - 1.8m x 2.4m

SKU:

- MESHBANNER200 - 2.4I.
- Size: 1.8m H x 2.4m L
 - Hemmed and eyeleted
 - Heavy-duty 260gsm rip-stop fabric
 - 5–10 day turnaround




I PRINTED FENCE WRAP

SKU:

- PRINTEDSCRIM200 - 500
- Size: 1.6m H x 50m L
 - Hemmed and eyeleted
 - 10–14 day turnaround
- PRINTEDSCRIM200 - 500 - FR
- Flame retardant 🔥
- PRINTEDSCRIM200 - 50I
- Size: 1.8m H x 50m L
 - Hemmed and eyeleted
 - 10–14 day turnaround
- PRINTEDSCRIM200 - 50I - FR
- Flame retardant 🔥
- PRINTEDSCRIM200-2.4
- Size: 2.4m H x 50m L
 - Hemmed and eyeleted
 - 10–14 day turnaround



Hemmed and eyeleted for durability and easy installation:



Eco-friendly plastic eyelets

Reinforced welded edge to edge

BRANDED PVC BANNER

High-profile branding product for site hoardings or fixed installations

- Size: 2.4m H x 50m L
- Hemmed and eyeleted
- Heavy-duty 440gsm PVC material
- 10-14 day turnaround



SOUND DAMPENING PANELS



SKU: SONC2-1.3S

Powerpac's Sound Dampening Panels offer an easy and effective temporary noise reduction solution for your site.

Engineered to absorb sound from construction, demolition, and drilling, these panels feature a non-irritant acoustic material free of glass fibres, ensuring superior safety for health and safety standards.


Designed for easy installation and removal, the curtains can be hung from site fences, scaffolding, and hoardings. Each panel includes robust industrial velcro joins on both sides for optimal performance.

Specifications:

- Size: 1.2m W x 2.2m H
- Up to 32.9dB reduction in noise
- Fire-resistant
- Excellent noise absorption
- Non-irritant acoustic material with no glass-fibre content
- Easy transportation

Main Applications:

- Construction sites with heavy machinery
- Compressors & saw drills
- Demolition works
- Road and earthworks



Call us **0800 23 57 89** or Email sales@powerpac.co.nz

PERSONNEL & SITE SAFETY
SITE SECURITY
TMC SIGNAGE
ENVIRONMENTAL & CIVIL SUPPLIES
FORMWORK & ACCESSORIES
FASTENERS & ADHESIVES
CONCRETE FINISHING
CONCRETE VIBRATORS
GROUT MIX & PUMPING
PLANT & EQUIPMENT
CUTTING, DRILLING & GRINDING
HAND TOOLS
SURFACE PROTECTION
SITE LIGHTING
MATERIALS HANDLING
SITE SIGNAGE